

PRIMER 160 PRODUCT & SAFETY DATA SHEET

Primer 160 is used as a preparation agent to promote adhesion of Marineflex to porous or friable surfaces such as but not limited to timbers and concrete.

Trade Sealants Ltd recommends you contact your local Air Quality Regulation to be sure this primer is compliant.

Allow Primer 160 to dry thoroughly before applying sealant.

Drying time is approximately 15 minutes at room temperature.

Product Specification

Weight	0.8 kg
Colour	Transparent light yellow
Volume	250mls
Flashpoint	24°C O.C
Coverage	1 sq.m/250ml (dependant on surface)

Health & Safety Information



- **Flammable Liquid and Vapour**
- May cause damage to organs through prolonged or repeated exposure.
- Harmful if in contact with skin or inhaled.
- Causes skin irritation.
- May cause an allergic skin reaction.
- May cause respiratory irritation.
- Causes serious eye irritation.
- Harmful to aquatic life with long lasting effects.

Usage

- Avoid breathing mist/vapour/spray.
- Use only outdoors or in a well ventilated area.
- Avoid release to the environment.
- Wear protective clothing specifically hands, eye & face when using.
- If the product comes into contact with eyes rinse cautiously with warm water for several minutes. Remove contact lenses if possible and continue to rinse. If eye irritation persists seek medical attention.

Contains isocyanates.

May produce an allergic reaction.

Product contains: xylene, mixed isomers, poly(isophorone diisocyanate), bis(2-(2-(1-methylethyl)-3-oxazolidinyl)-ethyl) 1, ethylbenzene.

NOTICE: This information is based on data available to us and is believed to be reliable. The use of this product is not within our control therefore we do not offer warranty on the results of the product use. It is solely the users responsibility to determine proper use of the product and the user assumes all legal responsibility and Trade Sealants Ltd is not liable for any injury, loss, damage, consequential loss arising from the use or inability to use the product. In addition we make no guarantee that the suggested health and safety precautions will be adequate for all individuals and/or situations.